

Fauteuil de Salon

Jean Prouvé, 1939



Fauteuil de Salon


Fauteuil de Salon joins simple planes into a unified architectural object with a comfortable seat surface and backrest. Rediscovered in the archives of the French engineer Jean Prouvé, the armchair has been updated in a contemporary colour palette. With oiled, solid wood armrests and the designer's characteristic structural aesthetic, the Fauteuil de Salon can

be ideally combined with other pieces in the Prouvé Collection.

Materials








- **Seat and backrest:** polyurethane filling; cover in fabric or leather.
- **Seat height:** 415 mm (340 mm with applied load, measured in accordance with EN 1335-1).
- **Armrests:** solid wood with oiled finish; natural oak, smoked oak or American walnut.
- **Base:** bent sheet steel and tubular steel, powder-coated (smooth).
- **Glides:** hard glides for carpet or felt glides for hard floors.
- **Origin of wood:** oak (*Quercus robur*) from Western Europe and/or Poland; American walnut (*Juglans nigra*) from the USA.

DIMENSIONS




Fauteuil de Salon

COLOURS AND MATERIALS

 70 solid natural oak, oiled	 88 ecru powder-coated (smooth)	
 75 solid American walnut, oiled	 06 Japanese red powder-coated (smooth)	
 90 solid smoked oak, oiled	 40 chocolate powder-coated (smooth)	 12 deep black powder-coated (smooth)























Armrests **Base frame (Colour)**

Leather Premium Home/Office, L40




Leather Premium is a relatively smooth cowhide leather with a flat grain and fine top sheen. It is dyed-through and lightly pigmented. The semi-aniline leather is soft to the touch and available in 22 colours.

Material	Semi-aniline nappa leather with a very soft and supple feel
Fastness to light	Type 5
Thickness	1.1–1.3 mm
Fastness to rubbing	Grade 4 dry and wet

 72 snow	 59 jade	 66 nero	 69 marron	 74 olive	
 64 cement	 58 khaki	 77 brown	 93 brandy	 75 camel	
 65 granite	 61 umbra grey	 68 chocolate	 22 red stone	 62 ochre	 71 sand
 60 smoke blue	 67 asphalt	 87 plum	 97 cognac	 63 cashew	 73 clay

Twill Home/Office, F60



The high percentage of natural fibres gives Twill very pleasant tactile qualities and an inviting appearance. Extremely durable with excellent abrasion resistance, it combines the qualities typically found in home furnishings with the demanding requirements of the project sector.

Twill is available in 18 colours.

Material	30% polyamide, 70% new wool
Weight	325 g/m ² (9.6 oz/y ²)
Width	155 cm +/- 2 cm (61")
Abrasion resistance	100,000 Martindale
Fastness to light	Type 6
Pilling	Grade 4-5
Fastness to rubbing	Grade 4-5 dry and wet

